

2021 JACKSON COUNTY TRUCK AND TRACTOR PULL
Wednesday, July 28
Jackson County Fairgrounds Maquoketa, Iowa

The Jackson County Fair Truck and Tractor Pull will feature 20 classes of Trucks & Tractor. Weigh-in Starts at 5:00pm - \$20 Entry Fee (All Classes). Pull starts at 6:00pm - Limit 2 Hooks.

****Special note: The North Entrance by River's Farm is a Pit Entrance ONLY for today.**

**Special note: The North Entrance by River's Farm is a Pit Entrance ONLY for today. \$20 Pit Pass! 100% payback per Class with \$1,000 additional Purse

TRACTOR CLASSES (All tractor classes must have stock appearing block. Any tractors running over 3,000 RPM's must have all safety equipment; side shields, tie bars, safety kill switch for ignition or air, wheely bars, safety blanket, proof of steel flywheel.)

TRACTOR CLASSES

- FARM STOCK TRACTORS - NON-TURBO (3,000 RPM / 12MPH)
 - 5,500 (Gas Only)
 - 6,000 (Gas Only)
 - 6,500
 - 7,500
 - 9,500
 - 10,500
- FARM STOCK TRACTORS - TURBO (3,000 RPM / 12MPH)
 - 9,000
 - 11,000
 - 13,000
 - 15,000
- TOO HOT TO FARM TRACTORS (3,000 RPM / 17MPH)
 - 11,500
 - 12,000
- HOT STOCK 466 CU INCH (TURBO LIMIT 3"X3")
 - **LIMIT 10,000 OPEN RPM**
- OPEN TRACTORS
 - 5,500
 - 6,500
 - 7,500
 - 8,500
 - 9,500

TRUCK CLASSES

- STREET TRUCKS
 - 6,200
 - 6,500
- OPEN TRUCKS
 - 6,200
 - 6,500
- MODIFIED TRUCKS
 - 6,200
 - 6,500
- OPEN
 - 8,500

Trucks - Question call Tim Oberbreckling at 563-212-7163

TRUCK RULES FOR JACKSON COUNTY IOWA FAIR TRUCK & TRACTOR PULL

Modified Truck Rules

- 1 ton OEM drive train
- 50 front 80 Rear max
- No F-106 or Equivalent Rear Ends
- Blocking and Traction Bars Allowed
- Hanging Weight Allowed
- Front Weight is Max 60 inches From Center of front axles
- DOT Tires
- OEM Cast Block and Heads
- Headers Down and back, Must exit behind cab
- No Fuel tanks in front of truck
- Fuel Cells in Box only or Factory fuel tank in Factory location
- All Safety equipment Drive shaft loops and kill Switches
- Must wear Seat belt
- Explosion proof Bell Housing and steel Flywheel are Required or Transmission blanket 26 inch Hitch height
- No more than 12 inches in front of end of Factory Frame if it is an adjustable hitch 3x4 hole to be behind the factory frame no hooking point under box
- Weight will be 6200 65000 lbs

Street Stock Trucks

- OEM Cast Block Heads and intake
- Factory Alum OK No After Market blocks or Heads Headers ok Must be behind cab with mufflers
- No Suspension modification
- No Blocking
- DOT Tires
- Pump Gas No Racing Fuel
- No Hanging Weights
- No Weights in Cab
- No Batteries in cab
- 24 inch hitch height
- Reese Style hitches
- Weights 5800 and 6200

For more information, contact Levi Dosland at 563-212-0405